

HYUNDAL&C

CRESCENDO

— Premium Flooring Collection —

A SPLASH OF
ELEGANCE AND
INSPIRATION!

HYUNDAI

L&C

SPECIFICATION



A modern flooring solution - Crescendo

The Classic Luxury Vinyl Flooring boasts of a wide selection of wood, stone and abstract looks that can transform & upgrade any given space. Durability and outstanding performance, it is waterproof, and resilient surface makes easy installation and cleanup.

The top layer protects the surface from most scratches, dirt and chemical contaminations which help in easy cleaning. The wear layer gives it durability and resistance to abrasion, while the printed layer provides the desired pattern to the surface. The ultra-dense rigid core makes it waterproof and durable.

Why trust Hyundai Flooring?

Premium Design

Hyundai is the designer's haven for flooring – get access to our widest selection of original, classic and contemporary designs of various patterns, textures and sizes – guaranteed to add that touch of class to your room.

Premium product Performance

Passing the standards of the American Society for testing & Materials (ASTM), Hyundai Flooring complies with the international standards for abrasion, fire and chemical resistance, dimensional stability, load resistance, residual indentation, resistance to heat and light, tensile strength and tear resistance. Hyundai flooring is backed by quality you can rely on day after day.

Premium Innovation

Hyundai is a high-tech materials company with distinct advantage as a manufacturer of PVC resins and PVC based materials, developing breakthrough technologies such as the Regent Bio, the first TPO-based (Thermo Plastic Olefin), non-PVC, eco-friendly flooring that is safe for children & the environment.

Premium Sustainability

Hyundai is on a mission to grow greener. We have our sights set firmly on using renewable energy to achieve sustainable green growth on a global scale by reducing our environmental footprint, and those of our suppliers, by fostering active partnerships with like-minded organizations, and through various social contributions.



Available size: 3.0mm(T) x 500mm(L) x 500mm(W)




8509



9828



7495



7507

Available size: 3.0mm(T) x 600mm(L) x 600mm(w)



3521



3023

Available size: 3.0mm(T) x 940mm(L) x 186mm(W)



19013



19015




19019




4464

Available size: 3.0mm(T) x 940mm(L) x 186mm(W)

9060 - 01



9060 - 02



9063 - 01



9063 - 02



Available size: 3.0mm(T) x 1220mm(L) x 177.8mm(W)

Product Specification

COMPOSITION	MULTI LAYER VINYL TILE-DRY BACK			
SIZE	186*940mm	177.8*1220mm	500*500mm	600*600mm
THICKNESS	3.0mm			
WEAR LAYER		0.30 / 0.50 mm		
FINISH	UV COATING FINISH			
EDGE	SQUARE			
PCS/BOX	19	15	13	9
SQM/BOX	3.32	3.32	3.25	3.24
SQFT/BOX	35.76	35.76	34.98	34.88
BOX/PALLET	100	100	100	100
PALLET/200	10	10	10	10

Testing:

ITEM	STANDARD TEST METHOD	REQUIREMENT
VOLATILITY	BS-EN 664-1995	MAX.10g/m ²
DIMENSIONAL STABILITY AFTER EXPOSURE TO HEAT	ASTM F2199-09	MAX.0.020in/in.ft (1.67mm/M)
CURLING AFTER EXPOSURE TO HEAT	EN 434-1994(R2010)	MAX.2mm
FLEXIBILITY	ASTM F137-08	1 INCH MANDREL NO CRACKS OR BREAKS IN FACE OR BACK
RESISTANCE TO CHEMICALS	ASTM P925-02	MAX.SLIGHT CHANGE
PEEL RESISTANCE	EN 431-1994	MIN.50N/50m
ANTI-BACTERIAL	ASTM E2 180-07	GET THE REDUCTION CLOSED TO 99.9%
ANTI-FUNGI	ASTM G21-09	NEED TO REACH GRADE 0
COMPOSITION OF MATERIAL	ASTM F1700	MANUFACTURER'S CERTIFICATE
SIZE/TOLERANCE	ASTM F2055	+/-0.016in./in.ft (+/-0.4mm/305mm)
THICKNESS	ASTM F386	AS SPECIFIED+/-0.005in. +/-0.13mm
SQUARENESS	ASTM F2055	Max0.010in. (0.25mm)
RESISTANCE TO LIGHT	ASTM F1515	E-8 AVG.MAX
RESISTANCE TO HEAT	ASTM F1514	E-8 AVG.MAX

Certificate/Sustainability

RECYCLED CONTENT	YES(AVAILABLE VIRGIN)
ISO 9001-QUALITY MANAGEMENT SYSTEM	MEETS AND EXCEEDS PASSING REQUIREMENTS
ISO 14001-ENVIRONMENTAL MANAGEMENT SYSTEM	MEETS AND EXCEEDS PASSING REQUIREMENTS
FLOOR SCORE CERTIFIED	YES
HEALTH CARE DECLARATION, HPD (SCS GLOBAL SERVICES)	VERIFIED
VOC EMISSIONS	NO

Certifications





MARKETED BY:



BANSAL

Sales Corporation Pvt. Ltd.

© Bansal Sales Corporation Pvt. Ltd. 2023

Email: info@bansalsales.net

Web: www.bansalsales.net

 [bansalsales](https://www.instagram.com/bansalsales)  [bansalsalescorporationpvtltd](https://www.facebook.com/bansalsalescorporationpvtltd)

Dealer / Distributor