

TQ TECHNO
DESIGNS

Vol 5

1 mm &
1.25 mm
collection



SCAN QR TO DOWNLOAD
E-CATALOGUE

TQ TECHNO
DESIGNS

Technology that elevates. Quality that endures.

100% PURE
PHENOLIC LAMINATES



Damas Laminates Pvt. Ltd.

Survey No. : 668, At. & Post: Ghadkan,
Majara-Talod Road, Tal.: Prantij-383 205,
Dist.: Sabarkantha, Gujarat, India.

+91 2770 255170
+91 80002 16570
info@damaslam.com




OUR STORY

Step into a universe of exquisite design possibilities with the Damas Laminates Catalog. Here, you'll discover a curated collection of premium laminates crafted to elevate your living spaces and commercial projects. From captivating textures and mesmerizing woodgrains to cutting-edge finishes and contemporary patterns, our laminates offer an unparalleled blend of style, functionality, and durability.

Each design is thoughtfully developed to inspire creativity, enhance aesthetics, and bring a refined sense of sophistication to every surface. Explore a world where innovation meets craftsmanship, and where every sheet is designed to transform ordinary spaces into extraordinary experiences.

www.damaslam.com



"LAMINATE DESIGNS FOR FUTURE TRENDS."
Technology that elevates. Quality that endures.

TEQNO — TEQNO
DESIGNS-TEQNO
DESIGNS-TEQNO
DESIGNS — DESIGNS

AUTHENTIC EDGE OF VIVACIOUS DESIGNS



1.25MM EXCLUSIVE

The 1.25 mm exclusive laminate offers a refined balance of visual depth and durability, delivering a premium look without the weight of thicker options. Its modest thickness facilitates precise edge routing and tighter radii, enabling complex profiles with lower tooling wear.

1MM THICKNESS

A 1.0 mm laminate is lean and cost-efficient, ideal for lightweight applications where frequent refreshes are expected. Its slim profile reduces material costs and overall weight, making it suitable for high-volume production.

EDGE BANDING

Edge banding is a finishing process that covers exposed panel edges with a seamless strip to protect against moisture, chips, and wear while enhancing appearance. It requires clean, smooth edges, compatible adhesive and banding material, and precise trimming for a durable, tidy seam.

USP GUIDE

*technical guide to
understand advantages.*



FIRE RESISTANCE - STAIN RESISTANCE - SCRATCH RESISTANCE - TERMITE FREE - EASY TO CLEAN - MOISTURE RESISTANCE - IMPACT RESISTANCE

AUTHENTIC EDGE OF VIVACIOUS DESIGNS



1.25MM EXCLUSIVE

The 1.25 mm exclusive laminate offers a refined balance of visual depth and durability, delivering a premium look without the weight of thicker options. Its modest thickness facilitates precise edge routing and tighter radii, enabling complex profiles with lower tooling wear.

1MM THICKNESS

A 1.0 mm laminate is lean and cost-efficient, ideal for lightweight applications where frequent refreshes are expected. Its slim profile reduces material costs and overall weight, making it suitable for high-volume production.

EDGE BANDING

Edge banding is a finishing process that covers exposed panel edges with a seamless strip to protect against moisture, chips, and wear while enhancing appearance. It requires clean, smooth edges, compatible adhesive and banding material, and precise trimming for a durable, tidy seam.

WEATHER RESISTANCE

Laminates and edge bands are designed to resist outdoor moisture, temperature fluctuations, and UV exposure to maintain color and integrity.



FIRE RESISTANCE

Fire-rated laminates meet specified standards to limit flame spread and reduce smoke emission in approved applications.



ANTI BACTERIAL

Surface treatments or materials inhibit bacterial growth, promoting a cleaner, more hygienic finish.



SCRATCH RESISTANCE

Hard-wearing surface topcoats and robust edge bands resist surface abrasion and scoring.



SCRATCH RESISTANCE - TERMITE FREE - EASY TO CLEAN - MOISTURE RESISTANCE - IMPACT RESISTANCE

USP GUIDE

DESIGN

AUTHENTIC EDGE OF VIVACIOUS DESIGNS



1.25MM EXCLUSIVE

The 1.25 mm exclusive laminate offers a refined balance of visual depth and durability, delivering a premium look without the weight of thicker options. Its modest thickness facilitates precise edge routing and tighter radii, enabling complex profiles with lower tooling wear.

1MM THICKNESS

A 1.0 mm laminate is lean and cost-efficient, ideal for lightweight applications where frequent refreshes are expected. Its slim profile reduces material costs and overall weight, making it suitable for high-volume production.

EDGE BANDING

Edge banding is a finishing process that covers exposed panel edges with a seamless strip to protect against moisture, chips, and wear while enhancing appearance. It requires clean, smooth edges, compatible adhesive and banding material, and precise trimming for a durable, tidy seam.

LONG LASTING

Durable composites and quality finishes ensure prolonged performance under typical use.



DIMENSIONALLY STABLE

Materials are engineered to minimize expansion, contraction, and warping with humidity and temperature changes.



EASY TO MAINTAIN

Surfaces clean easily with routine cleaning, requiring minimal special care.



ECO-CONSCIOUS MANUFACTURING

Production emphasizes sustainable sourcing, reduced emissions, and recyclability.



SCRATCH RESISTANCE - TERMITE FREE - EASY TO CLEAN - MOISTURE RESISTANCE - IMPACT RESISTANCE

USP GUIDE

DESIGN

AUTHENTIC EDGE OF VIVACIOUS DESIGNS



1.25MM EXCLUSIVE

The 1.25 mm exclusive laminate offers a refined balance of visual depth and durability, delivering a premium look without the weight of thicker options. Its modest thickness facilitates precise edge routing and tighter radii, enabling complex profiles with lower tooling wear.

1MM THICKNESS

A 1.0 mm laminate is lean and cost-efficient, ideal for lightweight applications where frequent refreshes are expected. Its slim profile reduces material costs and overall weight, making it suitable for high-volume production.

EDGE BANDING

Edge banding is a finishing process that covers exposed panel edges with a seamless strip to protect against moisture, chips, and wear while enhancing appearance. It requires clean, smooth edges, compatible adhesive and banding material, and precise trimming for a durable, tidy seam.

TERMITE FREE

Selected substrates and treatments minimize termite damage, preserving panel strength and longevity.



MOISTURE RESISTANCE

Core materials and edge bonding resist water ingress to prevent swelling and delamination.



FADE RESISTANCE

Pigments and finishes are formulated to maintain color fidelity under light exposure.



NATURAL FEEL

Production emphasizes sustainable sourcing, reduced emissions, and recyclability.



SCRATCH RESISTANCE - TERMITE FREE - EASY TO CLEAN - MOISTURE RESISTANCE - IMPACT RESISTANCE

USP GUIDE

DESIGN



INDEX

01 Ombre PG.11-13,15	02 Neonmass PG.9,12-17	03 Super matt PG.18,74-75, 89-95
04 Pinus zero PG.19,20	05 Canyon woody PG.21	06 Supreme fabrica PG.23,50, 56,57
07 Techtona zero PG.25,27	08 Classic zero PG.28	09 Banz oak PG.30
10 Oak tree PG.31	11 Glammute PG.33	12 Dense grain PG.34
13 Swirls PG.35,126	14 Soft lumber hz PG.36	15 Duet route PG.38-41
16 Lusterless PG.42	17 Zero matt PG.44,124	18 Stripe stone PG.45
19 Fantasy Stone PG.46	20 Travertino PG.51	21 Natural stone PG.52-53
22 Royal stone PG.54-55,120	23 Finatura PG.58-59	24 Damas wood PG.60
25 Veneer PG.61	26 Ash PG.62	27 Bosquedute PG.63
28 Synchro wood PG.64	29 Silky oak PG.66	30 Furrow PG.68,85
31 Parker PG.69,84	32 Acryno PG.71	33 Super high gloss PG.72
34 Suede finish solid PG.76	35 Core high gloss PG.77	36 Core super matt PG.77
37 Chalk marker board PG.77	38 Accoustic PG.78-79	39 Florino PG.80-81
40 Trio PG.82	41 Vertino PG.83	42 Micro flute PG.83
43 Royal channel PG.84	44 Stone PG.86	45 Menteno stone PG.88
46 Super high gloss PG.96-102	47 Pican oak horizontal PG.103	48 Pican oak PG.104-110
49 Suede finish PG.111-118	50 Scoup PG.123	51 Clear grain PG.125
52 Canton wood PG.127	53 Jute PG.128	54 Dense grain PG.130
55 Royal flute PG.131-133		

A showcase of design excellence and surface innovation. Engineered for strength, styled for sophistication. Redefining surfaces for modern spaces.

TEQNO EXPERIENCE

Designed for optimal product display, the laminate catalog features an intuitive layout with clear imagery, swatches, and simple filters. Interactive previews and a clean comparison tool help users assess finishes and specs quickly, while the design remains responsive across desktop, tablet, and mobile devices.



Built for tech-savvy adaptability, the catalog stays fast and easy to use with scalable assets and straightforward components that accommodate growing product lines without added complexity.



APPLICATIONS



Kitchen Area



Scan the QR code to explore more kitchen laminate options. View additional layouts, finishes, and color combinations designed for modern and functional kitchens.



Living Room




Scan the QR code to discover more living room laminate designs. Explore stylish textures and finishes to create a warm, elegant living space.



Commercial



Scan the QR code to view more commercial laminate applications. Explore durable designs suitable for offices, retail spaces, and high-traffic areas.



Hospitality



Scan the QR code to explore more hospitality laminate solutions. Discover premium designs ideal for hotels, cafés, and welcoming guest spaces.

NEOnMASS



Choose hues of class and glorious edge that fill your interiors with exemplary style

NEOnMASS



238 SMT

238 SMT
PASTEL GREEN




237 SMT

237 SMT
SAGE GREEN



OMBRE



01 OMB

01 OMB | MINT OMBRE



MEOWMANS



NEOR





243 SMT

243 SMT
BLUSH PINK



242 SMT

242 SMT
CLOUD GREY



04 OMB

04 OMB | PINK OMBRE




241 SMT

241 SMT
URBAN WHEAT



240 SMT

240 SMT
CHIC BEIGE




02 OMB


02 OMB | ORANGE OMBRE



239 SMT



236 SMT



05 OMB



242 SGL

242 SGL
CLOUD GREY



243 SGL

243 SGL
BLUSH PINK



240 SGL

240 SGL
CHIC BEIGE



241 SGL

241 SGL
URBAN WHEAT



237 SGL

237 SGL
SAGE GREEN



238 SGL

238 SGL
PASTEL GREEN



236 SGL

236 SGL
POMELO OLLIVE



239 SGL

239 SGL
BREEZE

Super Matt



749 SMT

A versatile collection that displays dynamic innovation and stunning touch of trendsetting design phenomenon.

211 SMT

211 SMT | STONE HEDGE

749 SMT | WEAVECRAFT SAND



100% PURE
PHENOLIC LAMINATES

Pinus Zero

DAMAS
LAMINATES



641 PZ

641 PZ | NEUTRAL CHIFFON




642 PZ

642 PZ | MOCHA MAHOGANY



Pinus Zero

Crafted to elevate everyday spaces, these laminates transform interiors into statements of refined taste.



Canyon Woody



627 PZ

627 PZ | CAPPUCCINO TEAK



628 PZ

628 PZ | WALNUT OAK



A BOHEMIAN
DIALOGUE
THAT —
ENTICES



635 CW

635 CW | LATTE MAPLE



634 CW

634 CW | LIGHT GREY ALDER



SPLENDID AURA OF VERS ATILITY

Each design reflects a balance of innovation and artistry. The collection invites warmth, depth, and visual harmony. A timeless choice for modern living.

227 VTC | BLUE ORY

227 VTC

633

227

750

Supreme Fabrica

750 FB

750 FB | GREYISH BLUE WEAVE



SPLEND
AURA O
VERS
ATILITY



Tectona Zero



633 TZ

633 TZ | BOHEMIAN BEECH



Tectona Zero



241 SMT | URBAN WHEAT

241 SMT

241

631

Tectona Zero

Designed to enhance spaces with subtle luxury, these laminates speak through texture and tone



631 TZ

631 TZ | BISCOFF PINE



632 TZ

632 TZ | CAROB HICKORY



Classic Zero

Every surface tells a story of precision and elegance. The collection blends contemporary trends with enduring appeal. Beauty that feels effortless and lasting



640 CZ

640 CZ | ALMOND BIRCH



639



239 SMT

239 SMT | BREEZE



639 CZ

639 CZ | PEANUT CEDAR



Banz Oak




638 BO

Thoughtful designs create balance and warmth within spaces

638 BO | NATURAL OAK



Oak Tree



629 OT

629 OT | COFFEE TEAK




630 OT

630 OT | MIDNIGHT MAHOGANY



CURATE STYLE THAT ENAMORS



01 HLT

01 HLT | SILVER FOIL

30
31



PLUSH
SURFACES
THAT —
ENTICE.

239 SGL | BREEZE

239 SGL




Glammute




636 GM

636 GM | DESERT ELM




637 GM

637 GM | DARK COCOA TEAK



576 GM

576 GM | NEVILLE WALNUT



544 GM

544 GM | MONTANA WALNUT



Dense Grain


Where design meets distinction, these laminates redefine decorative excellence.
Inspired by evolving lifestyles, they bring character to every corner.

Swirals




635 DNR

635 DNR | LATTE MAPLE



621 DNR

621 DNR | CALIFORNIA ELM



622 DNR

622 DNR | HONEY MAPLE




599 SWR

599 SWR | CHOCOLATE OAK



623 SWR

623 SWR | BRAZIL WOOD




633 SWR

633 SWR | BOHEMIAN BEECH



Soft Lumber HZ

The finish exudes calm sophistication. Style that remains relevant across time. A celebration of form and finesse, this collection adds charisma to interiors.



626 SLR HZ

626 SLR HZ | MOZAMBIQUE



634 SLR HZ

634 SLR HZ | LIGHT GREY ALDER



626

634

597 SLR HZ | TENSED TEAK



618 SLR HZ | FUDGE OAK



Soft Lumber HZ

The finish exudes calm sophistication. Style that remains relevant across time. A celebration of form and finesse, this collection adds charisma to interiors.



611

626 SLR HZ | MOZAMBIQUE




634 SLR HZ | LIGHT GREY ALDER




611 SLR HZ

611 SLR HZ | GREY TEAK




612 SLR HZ

612 SLR HZ | CACAO OAK



597 SLR HZ

597 SLR HZ | TENSED TEAK



618 SLR HZ

618 SLR HZ | FUDGE OAK



Duet Route

The designs are thoughtfully curated to complement diverse décors. Each laminate offers visual depth and tactile richness. Elegance, reimagined for today.

Duet Route




617 DR

617 DR | BRUSHED OAK




638 DR

638 DR | NATURAL OAK




596 DR

596 DR | REFINED PINE



613 DR

613 DR | PLUSH PINE




519 DR

519 DR | RICHMOND MOCHA



Duet Route

Created for spaces that demand more than functionality, these laminates deliver aesthetic impact.



626 DZ

626 DZ | MOZAMBIQUE



241 VLY

241 VLY | SAND BROWN



129 VLY

129 VLY | CHARCOAL GREY




224 VLY

224 VLY | LATTE BROWN




101 VLY

101 VLY | MILKY WHITE



570 DZ

570 DZ | KITAMI ELM DARK



578 DZ

578 DZ | DELANO OAK



631 DZ

631 DZ | BISCOFF PINE






ENCHANTING
FERVOR
OF
DECORATIVE
SURFACES.

The collection captures modern sensibilities with classic undertones. It enhances ambience without overpowering it. A perfect harmony of style and substance.




623 LS

623 LS | BRAZIL WOOD



570 LS

570 LS | KITAMI ELM DARK




576



596 LS

596 LS | REFINED PINE



576 LS

576 LS | NEVILLE WALNUT




Zero Matt

MODISH TOUCH OF
PERFECTION.

240 SMT | CHIC BEIGE

240 SMT




570 ZMT

570 ZMT | KITAMI ELM DARK




Stripe Stone



633 SS

633 SS | BOHEMIAN BEECH



618 SS


618 SS | FUDGE OAK



Fantasy Stone


Stone

These laminates introduce a new language of décor defined by elegance. Every pattern is crafted to enrich spatial storytelling.



735 FST

735 FST | SATVARIO



747 FST

747 FST | IVORY BISCOFF



Supreme Fabrica



745 FB

745 FB | SLATE WEAVE




Traverino



742 TT

742 TT | ABALONE QUARTZ



Supreme Fak

Bringing artistry to everyday surfaces, this collection enhances visual appeal effortlessly.

POSH
DESIGNS
— OF
ALLURE.



742



746 FB

746 FB | BRUNETTE TWIRL



Traverino




741 TT

741 TT | BUTTERSCOTCH GRANITE



Natural Stone

MAKE WAY
— FOR
SOPHISTICATION.



725 NST

725 NST | ITALIAN MARMI




212 STN

212 STN | SPRUCE



723

The designs resonate with understated luxury. Each laminate contributes to a refined atmosphere. A timeless addition to inspired spaces.



724 NST

724 NST | KALAHARI DARK




723 NST

723 NST | KALAHARI LIGHT



Royal Stone

The collection offers textures that engage and inspire. Subtle yet expressive, the designs enhance décor narratives.




740 RS

740 RS | TAJ MAHAL




213 RS

213 RS | BARN RED




215 RS

215 RS | CARAMEL



212 RS

212 RS | SPRUCE



214 RS

214 RS | KLEIN BLUE



735 RS

735 RS | SATVARIO



Supreme Fabrica

The collection captures elegance through thoughtful detailing. Each surface enhances visual harmony.



754 FB

754 FB | EARTHKEAF MATT



215 SMT | CAMEL

215 SMT



133 SMT | BARLEY

133 SMT



744 FB

744 FB | SLATE KNOT



746 FB

746 FB | BRUNETTE TWIRL



743 FB

743 FB | CLOUD GREY KNOT



745 FB

745 FB | SLATE WEAVE





A refined palette of designs crafted to uplift interiors. These laminates bring depth, warmth, and sophistication.



615 FTR

615 FTR | COSY OAK




577 FTR

577 FTR | PREMIERA WOOD



619 FTR

619 FTR | ARTISTIC PINE



622 FTR

622 FTR | HONEY MAPLE



599 FTR

599 FTR | CHOCOLATE OAK



Damas Wood

These laminates introduce elegance through simplicity and design integrity. Each piece enhances the mood of a space.




531 DW

531 DW | INFIGO TWILIGHT



617 DW

617 DW | BRUSHED OAK



619 DW

619 DW | ARTISTIC PINE



621 DW

621 DW | CALIFORNIA ELM



Veneer



634 VN

634 VN | LIGHT GREY ALDER



638 VN

638 VN | NATURAL OAK



614 VN

614 VN | BRONZED OAK



618 VN

618 VN | FUDGE OAK



Ash

These laminates are crafted to enrich spaces with elegance. The collection balances modern design with timeless aesthetics.



622 ASH

622 ASH | HONEY MAPLE



575



575 ASH

575 ASH | BROWNIE MONZA



Bosquedute



575 BD

575 BD | BROWNIE MONZA




532 BD

532 BD | MELLOW ANGERE




535 BD

535 BD | MELLOW HAZELWOOD



629 BD

629 BD | COFFEE TEAK



630 BD

630 BD | MIDNIGHT MAHOGANY



Synchro Wood

Designed to elevate interiors, these laminates reflect sophistication in every detail.



625

60x115 mm
217 SMT

217 SMT | PRODUCT NAME




619 SW

619 SW | ARTISTIC PINE



618 SW

618 SW | FUDGE OAK



578 SW

578 SW | WOOD NOTE TEAK




625 SW

625 SW | TURMERIC WOOD




Silky Oak

The collection reflects contemporary charm with classic appeal. Beauty that remains relevant.



536 SO

536 SO | FUSION WALNUT




537 SO

537 SO | NEW AGE WALNUT



621 SO

621 SO | CALIFORNIA ELM



624 SO

624 SO | MOPANE CHERRY



627 SO

627 SO | CAPPUCCINO TEAK




628 SO

628 SO | WALNUT OAK



Furrow

The laminates add subtle drama to surfaces. Every texture speaks of refined craftsmanship.



613 FRO

613 FRO | PLUSH PINE



611



615 FRO

615 FRO | COSY OAK



614 FRO

614 FRO | BRONZED OAK



Parker



621 PKR

621 PKR | CALIFORNIA ELM



611 PKR

611 PKR | GREY TEAK




60x115 mm

219

219 SMT | TURQUOISE

219



612 PKR

612 PKR | CACAO OAK





WHAT WE HAVE FOR FUTURE



Acryno

ALSO AVAILABLE
EDGE BAND



A sophisticated selection of designs that elevate décor narratives. These laminates enhance interiors with quiet confidence.



421 ACR

421 ACR
BRIGHT WHITE



424 ACR

424 ACR
GALACTIC GREY



422 ACR

422 ACR
ARABIAN SAND



425 ACR

425 ACR
ASH GREY



423 ACR

423 ACR
THUNDER GREY



426 ACR

426 ACR
OCEAN



427 ACR

427 ACR
AIR FORCE BLUE




428 ACR

428 ACR
MIDNIGHT




Super High Gloss





The collection offers visual richness and harmony.
Each design feels deliberate and elegant.



ALSO AVAILABLE EDGE BAND











Muted Shades,
Crafted with —
Boho Character.



Super Matt

ALSO AVAILABLE
EDGE BAND




MESMERIZING
SURFACE
APPEAL
FOR
INTERIORS.



The designs resonate with calm sophistication. Each laminate enhances spatial harmony. Style rooted in elegance.

Suede Finish Solid



101 SF MILKY WHITE
102 SF OFF WHITE
103 SF OFF WHITE
104 SF MYSORE IVORY
105 SF SILVER GREY

Where creativity flows into form, these laminates redefine decorative surfaces.

Core High Gloss




101 CC SGL MILKY WHITE
103 CC SGL OFF WHITE
107 CC SGL DARK GREY
111 CC SGL BLOOD RED
115 CC SGL BLACK CURRANT


Core Super Matt




101 CC SMT MILKY WHITE
103 CC SMT OFF WHITE
107 CC SMT DARK GREY
111 CC SMT BLOOD RED
115 CC SMT BLACK CURRANT



106 SF SMOKE GREY
121 SF RHINO GREY
129 SF CHARCOAL GREY
107 SF DARK GREY
108 SF DARK GREY




116 SF PARROT GREEN
117 SF GREEN
118 SF BRIGHT LAVENDER
119 SF SKY BLUE
120 SF ELECTRIC BLUE



109 SF GOLDEN YELLOW
110 SF ORANGE
111 SF BLOOD RED
112 SF WINE RED
130 SF BARBIE PINK
114 SF HUTCH PINK
115 SF BLACK CURRANT




CHALK MARKER BOARD



CHALK MARKER

Acoustic

These laminates add a refined layer of beauty to interiors. Designed for visual comfort and elegance.



241 ACT

241 ACT | SAND BROWN



241



240 ACT

240 ACT | CHIC BEIGE



239 ACT

239 ACT | BREEZE



Florino

The laminates introduce depth without distraction.
Each design reflects understated luxury.



238 FLR

238 FLR | PASTEL GREEN



237 FLR

237 FLR | SAGE GREEN



242 FLR

242 FLR | CLOUD GREY



Trio

The collection speaks through texture and tone. Each surface adds warmth and character.



312 TRY

312 TRY | CLEAN BEIGE



222 TRY

222 TRY | LAUREL GREEN



236 TRY

236 TRY | POMELO OLLIVE




239 TRY

239 TRY | BREEZE



02 BRONZ

02 MT | BRONZE




02 TRY

02 TRY | BRONZE



01 SILVER

01 MT | SILVER



01 TRY

01 TRY | SILVER



03 GOLD

03 MT | GOLD



03 TRY

03 TRY | GOLD



01 HLT

01 HLT | SILVER



02 HLT

02 HLT | BRONZE



Vertico



107 VTC

107 VTC | DARK GREY



Every design blends beauty with restraint. An enduring expression of class.




224 VTC

224 VTC | LATTE BROWN



227 VTC

227 VTC | BABY BLUE



222 VTC

222 VTC | KITAMI ELM DARK



101 VTC

101 VTC | MILKY WHITE



Micro Flute



101 MRF

101 MRF | MILKY WHITE



229 MRF

229 MRF | LOTO GREEN



107 MRF

107 MRF | DARK GREY



227 MRF

227 MRF | BABY BLUE




133 MRF

133 MRF | BARLEY



Super High Gloss

Every surface feels curated and intentional. A timeless decorative statement.



614 SGL

614 SGL | BRONZED OAK



577 SGL

577 SGL | PREMIERA WOOD



576 SGL

576 SGL | NAVILLE WALNUT



639 SGL

639 SGL | PEANUT CEDAR



640 SGL

640 SGL | ALMOND BIRCH



GORGEOUS PATTERNS OF PANACHE.



627 SGL

627 SGL | CAPPUCCINO TEAK



628 SGL

628 SGL | WALNUT OAK



Super High Gloss

A fusion of modern aesthetics and enduring design,
this collection elevates décor.



637 SGL

637 SGL | DARK COCOA TEAK



575 SGL

575 SGL | BROWNIE MONZA



619 SGL

619 SGL | ARTISTIC PINE



611 SGL

611 SGL | GREY TEAK




612 SGL

612 SGL | CACAO OAK



546 SGL

546 SGL | BURNT OAK



625 SGL

625 SGL | TURMERIC WOOD



632 SGL

632 SGL | CAROB HICKORY



615 SGL

615 SGL | COSY OAK



547 SGL

547 SGL | NATURAL EICHE



599 SGL

599 SGL | CHOCOLATE OAK



624 SGL

624 SGL | MAPANE CHERRY




Super High Gloss

Every surface contributes to a cohesive aesthetic.
Style that feels effortless.



735 SGL | SATVARIO



740 SGL | TAJ MAHAL



738 SGL | SYDNEY LIGHT



739 SGL | SYDNEY DARK



741 SGL | BUTTERSCOTCH GRANITE



742 SGL | ABALONE QUARTZ



724 SGL | KALAHARI DARK




723 SGL | KALAHARI LIGHT

Super High Gloss



725 SGL

725 SGL | ITALIAN MARMI



732 SGL

732 SGL | AFRICAN TEAK




733 SGL

733 SGL | EUROPEAN OAK




Pican Oak Horizontal



615 PO HZ

615 PO HZ | COSY OAK




519 PO HZ

519 PO HZ | RICHMOND MOCHA



531 PO HZ

531 PO HZ | INFIGO TWILIGHT



545 PO HZ

545 PO HZ | ABSTRACT PINE



Pican Oak

Crafted for spaces that value elegance, these laminates offer enduring appeal.



631 PO

631 PO | BISCOFF PINE



632 PO

632 PO | CAROB HICKORY




638 PO

638 PO | NATURAL OAK



637 PO

637 PO | DARK COCOA TEAK



636 PO

636 PO | DESERT ELM




Pecan Oak




613 PO

613 PO | PLUSH PINE




570 PO

570 PO | KITAMI ELM DARK




536 PO

536 PO | FUSION WALNUT



611 PO

611 PO | GREY TEAK



546 PO

546 PO | BURNT OAK



612 PO

612 PO | CACAO OAK




Décor that endures, the collection blends contemporary flair with classic grace.




641 PO

641 PO | NEUTRAL CHIFFON



642 PO

642 PO | MOCHA MAHOGANY



626 PO

626 PO | WHEAT MAHOGANY




618 PO

618 PO | FUDGE OAK



Pecan Oak

Every design complements modern décor seamlessly.
Beauty that evolves gracefully.




617 PO

617 PO | BRUSHED OAK




623 PO

623 PO | BRAZIL WOOD




614 PO

614 PO | BRONZED OAK



615 PO

615 PO | COSY OAK



597 PO

597 PO | TENSED TEAK




621 PO

621 PO | CALIFORNIA ELM




578 PO

578 PO | WOOD NOTE TEAK



620 PO

620 PO | BURMA PADAUK




599 PO

599 PO | CHOCOLATE OAK



Pecan Oak




624 PO

624 PO | MOPANE CHERRY



625 PO

625 PO | TURMERIC WOOD



576 PO

576 PO | NEVILLE WALNUT



596 PO

596 PO | REFINED PINE



Suede Finish



744

SUBTLE
HUES OF
BOHEMIAN
EDGE.

110
111

743 SF | CLOUD GREY KNOT

743 SF

744 SF | SLATE KNOT

744 SF

745 SF | SLATE WEAVE

745 SF

746 SF | BRUNETTE TWIRL

746 SF

Suede Finish

Beauty that feels natural. Every design enhances the overall ambience.




631 SF

631 SF | BISCOFF PINE




627 SF

627 SF | CAPPUCCINO TEAK



575 SF

575 SF | BROWNIE MONZA




619 SF

619 SF | ARTISTIC PINE




632 SF

632 SF | CAROB HICKORY




628 SF

628 SF | WALNUT OAK



618 SF

618 SF | FUDGE OAK



578 SF

578 SF | DELANO OAK




633 SF

633 SF | BOHEMIAN BEECH




635 SF

635 SF | LATTE MAPLE



620 SF

620 SF | BURMA PADAUK



531 SF


531 SF | INFIGO TWILIGHT



Suede Finish



626 SF | MOZAMBIQUE




621 SF | CALIFORNIA ELM




641 SF | NEUTRAL CHIFFON




636 SF | DESERT ELM




623 SF | BRAZIL WOOD




625 SF | TURMERIC WOOD



617 SF | BRUSHED OAK



615 SF | COSY OAK



642 SF | MOCHA MAHOGANY



637 SF | DARK COCOA TEAK




Suede Finish




537 SF

537 SF | NEW AGE WALNUT



546 SF

546 SF | BURNT OAK



536 SF

536 SF | FUSION WALNUT




613 SF

613 SF | PLUSH PINE




532 SF

532 SF | MELLOW ANGERE




535 SF

535 SF | MELLOW HAZELWOOD




519 SF

519 SF | RICHMOND MOCHA




544 SF

544 SF | MONTANA WALNUT



533 SF

533 SF | MODERN TEAK




534 SF

534 SF | DOUGLAS TEAK




Suede Finish




577 SF

577 SF | PREMIERA WOOD




624 SF

624 SF | MOPANE CHERRY



622 SF

622 SF | HONEY MAPLE




614 SF

614 SF | BRONZED OAK



703 SF

703 SF | ROUGH ADAGIO



704 SF

704 SF | ROUGH RAVEN



Designed to complement evolving lifestyles, these laminates add character to spaces.

TQ


1.25MM

collections

 1.25mm exclusive

Royal Stone

1.25mm exclusive



904 RS | IVORY ALABASTER



Stone



748 STN | EARTHY MOTIF



Royal Stone

9212 RS | SPRUCE



9212 RS



904 RS | IVORY ALABASTER

Each design blends seamlessly into refined interiors.
Elegance without excess.



915 SKP

915 SKP | MODISH MAPLE



Scuup



914 SKP

914 SKP | LIGHT BROWN ASH



Zero Matt

 1.25mm *exclusive*



930 ZMT

930 ZMT | RIVER ASH IVORY 



929 ZMT

929 ZMT | RIVER ASH WHITE 



916 CG

916 CG | PLUSH CEDAR 



Clear Grain

CHARMING AND CHIC, A
CONTEMPORARY MASTERPIECE.



910 CG

910 CG | RELIC YELLOW 



911 CG


911 CG | RELIC BLUE 



Swirals


1.25mm exclusive

Canton Wood



903 SWR

903 SWR | CREAM ORY



901 SWR

901 SWR | CARAMEL TEAK



902 SWR

902 SWR | BLUE ORY



980 CW


980 CW | WOOD NOTE RED



979 CW


979 CW | WOOD NOTE IVORY





905 JT

905 JT | LUSTER JUTE IVORY




106 JT

106 JT | SMOKE GREY



214 JT

214 JT | KLEIN BLUE




227 JT

227 JT | BABY BLUE



122 JT

122 JT | KHAKI BROWN



906 JT


906 JT | LUSTER JUTE BLUE

SOFT TONES WITH A BOHEMIAN SOUL.

Every surface feels warm and inviting. Designed for enduring beauty.


Dense Grain

1.25mm exclusive




909 DNR

909 DNR | CASTELO DARK



908 DNR


908 DNR | CHOCO PINE



907 DNR


907 DNR | CASTELO LIGHT

Royal Flute



912 RFT

912 RFT | PISTACHIO GREEN




913 RFT

913 RFT | ELEPHANT GREY

Royal Flute

1.25mm exclusive



101 RFT

101 RFT | MILKY WHITE



212 RFT

212 RFT | SPRUCE



224 RFT

224 RFT | LATTE BROWN




222 RFT

222 RFT | LAUREL GREEN




227 RFT

227 RFT | BABY BLUE



242 RFT

242 RFT | CLOUD GREY




904 RFT

904 RFT | IVORY ALABASTER



931 SMT

931 SMT | SATVARIO



931 NST

931 NST | SATVARIO



Index

Design No	Finish	Pg No	Design No	Finish	Pg No	Design No	Finish	Pg No	Design No	Finish	Pg No	Design No	Finish	Pg No
01	OMB	11	127	SMT	75	242	RCH	84	615	PO	108	640	CZ	28
01	MT	82	129	VLY	40	242	RFT	132	615	SF	114	640	SMT	91
01	TRY	82	129	SGL	72	243	SMT	12	617	DR	38	640	SGL	96
01	HLT	82	129	SMT	74	243	SGL	16	617	DW	60	641	PZ	19
02	OMB	13	129	SF	76	312	SGL	72	617	PO	108	641	PO	107
02	MT	82	129	RCH	84	312	TRY	82	617	SF	114	641	SF	115
02	TRY	82	130	SGL	73	313	SGL	72	618	SLR HZ	37	642	PZ	19
02	HLT	82	130	SMT	74	315	SGL	72	618	SS	45	642	PO	107
03	MT	82	130	SF	76	421	ACR	71	618	VN	61	642	SF	115
03	TRY	82	133	SGL	72	422	ACR	71	618	SW	64	703	STN	86
04	OMB	12	133	SMT	74	423	ACR	71	618	PO	107	703	SF	118
05	OMB	15	133	MRF	83	424	ACR	71	618	SF	113	704	STN	86
101	VLY	40	211	SGL	72	425	ACR	71	619	FTR	59	704	SF	118
101	SGL	72	211	SMT	74	426	ACR	71	619	DW	60	717	STN	87
101	SMT	74	212	RS	55	427	ACR	71	619	SW	64	718	STN	87
101	SF	76	212	SGL	72	428	ACR	71	619	SGL	98	723	NST	53
101	CCSGL	77	212	SMT	74	519	PO HZ	103	619	SF	113	723	SMT	95
101	CCSMT	77	212	RFT	132	519	DR	39	620	PO	109	723	SGL	101
101	VTC	83	213	RS	54	519	SF	116	620	SF	113	724	NST	53
101	MRF	83	213	SGL	72	531	DW	60	621	DNR	34	724	SMT	95
101	PKR	84	213	SMT	75	531	PO HZ	103	621	DW	60	724	SGL	101
101	RCH	84	214	RS	55	531	SF	113	621	SO	66	725	NST	52
101	FRO	85	214	SGL	73	532	BD	63	621	PKR	69	725	STN	86
101	RFT	132	214	SMT	75	532	SF	117	621	PO	109	725	SMT	94
102	SGL	72	214	JT	128	533	SF	117	621	SF	114	725	SGL	102
102	SF	76	215	RS	54	534	SF	117	622	DNR	34	732	STN	87
103	SGL	72	215	SGL	72	535	BD	63	622	FTR	59	732	SGL	102
103	SMT	74	215	SMT	74	535	SF	117	622	ASH	62	733	STN	87
103	SF	76	216	SGL	73	536	SO	66	622	SF	118	733	SGL	102
103	CCSGL	77	216	SMT	75	536	PO	106	623	SWR	35	735	FST	46
103	CCSMT	77	217	SGL	73	536	SF	116	623	LS	42	735	RS	55
104	SF	76	217	SMT	75	537	SO	66	623	SMT	92	735	FRO	85
105	SGL	72	218	SGL	72	537	SF	116	623	PO	108	735	MNT	88
105	SMT	74	218	SMT	74	544	GM	33	623	SF	114	735	SMT	93
105	SF	76	218	PKR	84	544	SF	116	624	SO	66	735	SGL	100
106	SGL	72	218	FRO	85	545	PO HZ	103	624	SGL	99	736	SMT	95
106	SMT	74	219	SGL	73	546	SGL	99	624	PO	110	737	SMT	95
106	SF	76	219	SMT	75	546	PO	106	624	SF	118	738	STN	86
106	PKR	84	220	SGL	73	546	SF	116	625	SW	65	738	SMT	94
106	FRO	85	220	SMT	75	547	SGL	99	625	SGL	98	738	SGL	100
106	JT	128	221	SGL	73	570	DZ	41	625	PO	110	739	STN	86
107	SGL	72	221	SMT	75	570	LS	42	625	SF	114	739	SMT	94
107	SMT	74	222	SGL	73	570	ZMT	44	626	SLR HZ	36	739	SGL	100
107	SF	76	222	SMT	75	570	PO	106	626	DZ	40	740	RS	54
107	CCSGL	77	222	TRY	82	575	ASH	62	626	PO	107	740	SGL	100
107	CCSMT	77	222	VTC	83	575	BD	63	626	SF	114	741	TT	51
107	VTC	83	222	PKR	84	575	SGL	98	627	PZ	20	741	SMT	93
107	MRF	83	222	RFT	132	575	SF	113	627	SO	67	741	SGL	101
108	SGL	72	223	SGL	72	576	GM	33	627	SGL	97	742	TT	49
108	SMT	74	223	SMT	75	576	LS	43	627	SF	112	742	SMT	93
108	SF	76	224	VLY	40	576	SGL	96	628	PZ	20	742	SGL	101
109	SGL	72	224	SGL	72	576	PO	110	628	SO	67	743	FB	57
109	SMT	75	224	SMT	74	577	FTR	58	628	SGL	97	743	SF	111
109	SF	76	224	VTC	83	577	SGL	96	628	SF	112	744	FB	57
110	SGL	72	224	RFT	132	577	SF	118	629	OT	31	744	SF	111
110	SMT	75	225	SGL	73	578	DZ	41	629	BD	63	745	SF	111
110	SF	76	225	SMT	75	578	SW	65	630	OT	31	745	FB	57
111	SGL	72	225	FRO	85	578	PO	109	630	BD	63	746	FB	57
111	SMT	75	226	SGL	73	578	SF	113	631	TZ	27	746	SF	111
111	SF	76	226	SMT	75	596	DR	39	631	DZ	41	747	FST	47
111	CCSGL	77	227	SGL	73	596	LS	43	631	PO	104	747	SMT	89
111	CCSMT	77	227	SMT	75	596	PO	110	631	SF	112	748	STN	121
112	SGL	72	227	VTC	83	597	SLR HZ	37	632	TZ	27	749	SMT	18
112	SMT	75	227	MRF	83	597	SMT	92	632	SGL	98	750	FB	23
112	SF	76	227	PKR	84	597	PO	109	632	PO	104	754	FB	56
114	SGL	73	227	JT	129	599	SWR	35	632	SF	112	901	SWR	126
114	SMT	74	227	RFT	132	599	FTR	58	633	TZ	25	902	SWR	126
114	SF	76	228	SGL	73	599	SGL	99	633	SWR	35	903	SWR	126
115	SGL	73	228	SMT	75	599	PO	109	633	SS	45	904	RS	120
115	SMT	74	229	SGL	73	611	SLR HZ	37	633	SMT	90	904	RFT	133
115	SF	76	229	SMT	75	611	PKR	69	633	SF	112	905	JT	128
115	CCSGL	77	229	MRF	83	611	SMT	91	634	CW	21	906	JT	129
115	CCSMT	77	236	SMT	15	611	SGL	99	634	SLR HZ	36	907	DNR	130
116	SF	76	236	SGL	17	611	PO	106	634	VN	61	908	DNR	130
117	SF	76	236	TRY	82	612	SLR HZ	37	634	SMT	90	909	DNR	130
118	SGL	73	237	SGL	17	612	PKR	69	635	CW	21	910	CG	125
118	SMT	75	237	FLR	80	612	SMT	91	635	DNR	34	911	CG	125
118	SF	76	238	SGL	17	612	SGL	99	635	SMT	90	912	RFT	131
119	SGL	73	238	FLR	80	612	PO	106	635	SF	112	913	RFT	131
119	SMT	75	239	SMT	14	613	DR	39	636	GM	33	914	SKP	123
119	SF	76	239	SGL	17	613	FRO	68	636	PO	105	915	SKP	123
120	SF	76	239	ACT	79	613	SMT	92	636	SF	115	916	CG	124
121	SGL	72	239	TRY	82	613	PO	106	637	GM	33	929	ZMT	124
121	SMT	74	240	SMT	13	613	SF	116	637	SGL	98	930	ZMT	124
121	SF	76	240	SGL	16	614	VN	61	637	PO	105	931	SMT	133
122	SGL	72	240	ACT	79	614	FRO	68	637	SF	115	931	NST	133
122	SMT	74	241	SMT	13	614	SGL	96	638	BO	30	979	CW	127
122	JT	129	241	SGL	16	614	PO	108	638	DR	38	980	CW	127
123	SGL	73	241	VLY	40	614	SF	118	638	VN	61	9212	RS	120
123	SMT	75	241	ACT	78	615	FTR	58	638	PO	104	9213	RS	120
124	SGL	73	242	SMT	12	615	FRO	68	639	SGL	96	9214	RS	120
124	SMT	75	242	SGL	16	615	SGL	98	639	CZ	29	9215	RS	120
127	SGL	73	242	FLR	81	615	PO HZ	103	639	SMT	91	CHALK MARKER	CHALK MARKER	77

Technical Specification



PROPERTIES	SPECIFIED VALUES AS PER IS 2046-1995 TYPE S,VGS	DAMAS CONFORMS
Thickness	1.0mm (± 10%)	1.0mm (± 10%)
Resistance to surface wear	> 150(revolutions)	✓
Resistance to immersion in boiling water		
-Mass increase (%)	10.0%(Max)	✓
-Thickness increase	1.8%(Max)	✓
-Appearance	Not worse than 4	✓
Dimensional stability at deviated temperature		
-Longitudinal (%)	0.55% (Max)	✓
-Transverse (%)	1.025%(Max)	✓
Dimensional stability at 200 degree C		
-Longitudinal (%)	0.375%(Max)	✓
-Transverse (%)	0.60% (Max)	✓
Resistance to impact by small diameter ball	20 N (Min)	✓
Resistance to cracking	Not worse than 4	✓
Resistance to scratching	1.75 N (Min)	✓
Resistance to staining	Not worse than 5	✓
Resistance to color change (Wool standard)		
- In Xenon ARC light	Not worse than 6	✓
- In Enclose Carbon ARC light	Not worse than 5	✓
Resistance to steam	Not worse than 4	✓
Appearance	Should be Free From foreign particles	✓

A LOOK AT HOW YOU CAN LOOK AFTER OUR LAMINATES

- Do not place frying pans or dishes directly from the oven or cook-top on the Laminate surface. Protect the surface from heat generating appliances.
- Do not use knives, keys or other sharp objects directly on the decorative surface. A chopping board or counter saver is recommended.
- To clean the surface, use a damp cloth or sponge and a mild soap or detergent.
- Difficult stains such as coffee or tea can be removed using a mild household cleaner or detergent and a soft-bristled brush, repeat if necessary.
- Acidic or abrasive cleaners can damage Laminate surfaces; please do not use them.
- Toilet cleaners contain harsh chemicals that can cause permanent damage. If spills occur, please wipe immediately, wash the surface with soapy water and rinse several times.
- If a stain persists, use a paste of baking soda and water and apply with a soft-bristled brush. Light scrubbing with about 10 to 20 strokes should remove most stains. Although baking soda is a low abrasive, excessive scrubbing or exerting too much force could damage the decorative surface.
- Steel wool and other abrasive pads can damage the Laminates. Do not use them for cleaning and do not place steel wool pads on your counter-tops as the metal can rust and leave stains.
- Hair, textile and food dyes can cause permanent stains. If any dye should happen to inadvertently spill, please wipe it immediately with a dish-washing detergent or an all-purpose cleaner.

APPLICATION GUIDELINES

CAUSES AND RECOMMENDATION FOR AVOIDING FAILURES ARE:

- USE GOOD QUALITY PLYWOOD AND ADHESIVE
- THE SURFACE TO BE BONDED SHOULD BE FREE FROM OIL/GREASE/DUST AND EXCESS MOISTURE
- INSUFFICIENT AMOUNT OF ADHESIVE ON EITHER OR BOTH THE SURFACE TO BE BONDED

When ready for bonding the spread film of most contact adhesive will exhibit a uniform semi-gloss appearance over the entire surface of the material to be bonded. Marked variation in appearance will generally indicate an improper or non-uniform bonding in those areas where insufficient adhesive has been applied. If this occurs, re-coating the surface should achieve a uniform coating. Double coating the edges with adhesive is advisable because of the higher porosity of the substrate edge.

- INSUFFICIENT BONDING PRESSURE